

Material Safety Data Sheet

May be used to comply with OSHA's Hazard Communication Standard, 29 CFR 1910.1200. Standard must be consulted for specific requirements.

U.S. Department of Labor

Occupational Safety and Health
Administration
(Non-Mandatory Form)
Form Approved
OMB No. 1218-0072



IDENTITY (As Used on Label and List)

Instaclean

Note: Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that.

Section I

Manufacturer's Name

AmeriDerm Laboratories, Ltd.

Emergency Telephone Number

973-279-5100

Address (Number, Street, City, State, and ZIP Code) **126 Pennsylvania Avenue**

Telephone Number for Information

973-279-5100

Paterson, NJ 07503

Date Prepared

June 1, 2011

Signature of Preparer (optional)

Section II - Hazardous Ingredients/Identity Information

Hazardous Components (Specific Chemical Identity; Common Name(s))

OSHA PEL

ACGIH
TLV

Other Limits
Recommended

%(optional)

Isopropyl Alcohol

CAS# 67-63-0

Section III - Physical/Chemical Characteristics

Boiling Point

190 F

Specific Gravity (H₂O = 1)

> than 1

Vapor Pressure (mm Hg)

N/A

Melting Point

N/A

Vapor Density (AIR = 1)

N/A

Evaporation Rate
(Butyl Acetate = 1)

>than 1

Solubility in Water

Soluble

ph 6.5-7.5

Appearance and Odor

Light blue gel with pleasant scent.

Section IV - Fire and Explosion Hazard Data

Flash Point (Method Used) 60F	Flammable Limits	LEL	UEL
Extinguishing Media Carbon Dioxide, Dry Chemical, Alcohol-type foam			
Special Fire Fighting Procedures Product contains alcohol – Use water spray or cool containers.			
Unusual Fire and Explosion Hazards Flammable liquid – Keep away from sparks or open flames. Vapors are heavier than air and may cause ignition/flashback.			

(Reproduce locally)

OSHA 174, Sept. 1985

Section V - Reactivity Data

Stability	Unstable		Conditions to Avoid
	Stable	X	
Incompatibility (<i>Materials to Avoid</i>)			
Hazardous Decomposition or Byproducts			
Hazardous Polymerization	May Occur		Conditions to Avoid None known
	Will Not Occur	X	

Section VI - Health Hazard Data

Route(s) of Entry:	Inhalation?	Skin?	Ingestion?
--------------------	-------------	-------	------------

Health Hazards (*Acute and Chronic*)

Vapors can be irritating to eyes. Severe eye irritation may occur if splashed in

eyes. Swallowing – Slightly toxic. May cause dizziness, faintness, drowsiness,

Decreased awareness and responsiveness, lack of coordination, nausea, vomiting, abdominal discomfort, vomiting and diarrhea.

Carcinogenicity:	NTP?	IARC Monographs?	OSHA Regulated?
------------------	------	------------------	-----------------

Emergency and First Aid Procedures

If splashed in eyes – flush with water immediately and call physician. If

swallowed and patient is fully conscious give two glasses of water. Induce

Waste Disposal Method

Dispose of according to local, state, and federal regulations. May be drained into

sewer with plenty of water.

Precautions to Be taken in Handling and Storing

Keep away from sparks and open flames.

Other Precautions

Section VIII - Control Measures

Respiratory Protection (*Specify Type*)

N/A

Ventilation

Local Exhaust

N/A

Special

N/A

Mechanical (*General*)

N/A

Other

N/A

Protective Gloves

N/A

Eye Protection

N/A

Other Protective Clothing or Equipment

N/A

Work/Hygienic Practices

Normal use

* U.S.G.P.O.: 1986 - 491 - 529/45775